



sikkens

WOOD COATINGS

EXTERIOR

CATALOGUE 2026

AkzoNobel

The Sikkens logo consists of a white horizontal bar above the word "sikkens" in a bold, lowercase, sans-serif font.

WOOD COATINGS

CONTENTS

| | |
|-------------------------------|----|
| 01. Welcome | 3 |
| 02. Our values | 5 |
| 03. Sustainability | 9 |
| 04. AkzoNobel | 11 |
| 05. Colour-coding system | 13 |
| 06. Technologies | 15 |
| 07. Categories | 17 |
| 08. Areas of use | 19 |
| 09. Colour collections | 23 |
| 10. Searching made simple | 25 |
| 11. Icon glossary | 27 |
| 12. Product portfolio | 29 |
| Impregnation | 31 |
| Primers | 33 |
| Sealants & fillers | 37 |
| Midcoats | 39 |
| Topcoats | 43 |
| Additional products | 55 |
| Oil | 58 |
| Care | 59 |
| 13. Colour system | 61 |
| 14. Global Weathering Program | 67 |
| 15. Certificates | 69 |
| 16. Wood Extralife warranty | 74 |
| 17. Systems | 75 |



sikkens-wood-coatings.com

A close-up photograph of a person's hands, wearing a white long-sleeved shirt, resting on a light-colored wooden surface. The hands are positioned horizontally, with fingers slightly spread. The background is softly blurred, showing what appears to be a workshop or office environment with papers and other objects. The lighting is warm and natural, highlighting the texture of the wood and the skin.

01. WELCOME

TOGETHER WE'LL LEAD THE WAY

For over 200 years we've been empowering our partners and customers to achieve their visions with our trusted range of durable, versatile products.

Today, our multidisciplinary team of industry-leading specialists continues to create and refine our extensive range of industrial wood coatings solutions. Our high-quality, robust and easy-to-use portfolio now includes both interior and exterior systems across a diverse range of product types and technologies.

From concept to execution, we work closely with our partners through a holistic, creative and collaborative approach to gain a deeper understanding of their needs, allowing us to develop and deliver truly effective solutions created specifically to add value to our partners' and their customers' business.

Our approach is based on building strong and trusted relationships founded on commitment, authenticity and a willingness to go the extra mile. We help our partners create value, enabling them to attract and retain customers. Combined with our dedication to innovation, our approach is the backbone to our partnerships and lays the foundation for us to explore, discover and define new possibilities together.

02. OUR VALUES

WHO WE ARE

Our passion for wood will always be our focus. It's defined us since the early days. But our passion for the industry extends even further. We're always looking ahead, exploring the possibilities together with our partners, for their customers. Sharing our knowledge and insights to find new, sustainable ways to address customer needs and push the boundaries of what can be achieved.

Applying Possibilities



PARTNERSHIP

LONG-TERM PARTNERSHIPS
COLLABORATING FOR SUCCESS

Trust & collaboration

We're a trusted partner for distributors across Europe, Africa and the Middle East, building long-term relationships across different cultures and channels to reach shared goals.

We always strive to exceed our partners' and customers' expectations. Thanks to our combination of local customer service teams, expert technical support and dedicated sales network, together with our integrated global supply system, we achieve a common goal.

- Extensive distribution network across EMEA
- Decades of trusted partnerships and long-term relationships

Service & support

Solid support to achieve the best results

Support for our partners and customers doesn't stop when they choose our product. And our dedication to quality doesn't stop when our products leave the factory. We understand that quality is experienced in many different ways. That's why our highly qualified sales and customer service teams work closely with our partners and customers – they're available to offer post-sales support, ensuring quality goes beyond the products we sell.

Training and advice

Our products are designed to be simple to prepare and easy to apply. Where training is required, we arrange detailed support via online and offline channels, as well as on-site training to the highest technical standards, both at partners' premises and our own training centres. Our products are certified by the major industry bodies – another mark of reassurance for our customers.

- Solid end-to-end customer support
- Skilled and supportive sales, customer service and technical teams



EXPERTISE

UNRIVALLED
INDUSTRY KNOWLEDGE

Solid reputation

Our approach to partnerships and collaboration, and our unmatched reputation has led us to support high-profile projects and our coatings can be found on many impressive, well-known applications.

Our experienced technical teams have earned a reputation for their collaborative approach, technical know-how and practical insights. Our aim is to share this knowledge, helping our partners achieve the best results for their customers, time after time.

- Portfolio of high-profile private and public projects and a trusted partner in day-to-day applications
- Decades of invaluable knowledge and expertise

High-quality & durability

Our expertise, experience and collaborative approach are the foundation of our versatile product portfolio. Our range has been extensively researched and selected with our customers at the very heart of the process, combining their varied needs with our technological knowledge. Our expertly crafted coatings and technologies deliver a complete and practical range that can help optimise inventory efficiency.

Our experts have created key systems to help customers select the right products, in the right order for the desired purpose and performance for a job well done. Certifications are available to provide invaluable peace of mind and guaranteed quality that can help add value and reassurance.

To ensure the best results, our products go through extensive testing, captured under our Global Weathering Program and quality checks before coming to market. Our in-house quality experts are dedicated to ensuring our products consistently deliver the highest level of durability that stands the test of time.

- Complete exterior and interior wood coatings portfolio
- Demanding testing schemes
- Accredited range with certificates



CREATIVITY

CREATIVE THINKING THAT GOES BEYOND THE CAN

Colour, not compromise

Colour is in our DNA. Our in-house team of specialists delivers creative colour possibilities to meet the needs of today's constantly evolving market. Our palettes inspire our customers to find the perfect products for their projects.

As part of AkzoNobel, a world leader in colour, we're able to draw on the research, expertise and inspiration of the company's Global Aesthetic Center, which has been carrying out colour research for over 30 years. The ColourFutures initiative lays the foundation for the annual Colour of the Year selection and supporting colour palettes, offering design, creative and trend-led possibilities.

We offer practical support for our partners through our leading-edge colour technology tools. Our spectrophotometer colour measurement device enables colour matching with ease and confidence, while our Sikkens Wood Coatings colour software puts any imaginable colour at your fingertips. We can offer countless colour hues according to NCS, RAL and Sikkens Wood Coatings 5051 collections and we provide a range of colour fan decks and colour tools to help customers achieve their visions.

- In-house colour specialist team
- AkzoNobel: a world leader in colour and trends
- Leading-edge colour tools: from spectrophotometer and Sikkens Wood Coatings colour software, to fan decks and colour tools

Innovation

Innovation is not only about products. We embed innovation in every corner of our business. We explore possibilities from a fresh perspective to deliver industry-leading solutions.

Our experience and technical understanding in high quality wood coatings have grown from strength to strength since we were established. Today, we continue to work with world-leading academic institutions, R&D laboratories, architects and specifiers to push the boundaries of what's possible.

From our expert chemists in the lab to our experienced salespeople in the field, our team thinks differently. Every day we explore new ways to meet the challenges our partners and customers face, now and in the future. By blending our expertise with industry knowledge and decades of partnerships and collaborations, we seek to explore possibilities that ensure success for everyone. By choosing us, our partners can add value for their customers.

Cutting-edge R&D capabilities, state-of-the-art technologies and teams of colour, digital, marketing and hands-on technical experts provide further assurance for our customers that we're the right fit for them.



Digital support

We ensure information is clear, concise, and easy to source via our digital support services, such as our AkzoNobel Wood app* and sikkens-wood-coatings.com. We believe in straightforward guidance, offering simple direction on our product selection, application and more. Our digital support also includes an e-ordering portal* to make ordering quick and easy, and our growing social media platforms offer a wealth of content to a community of like-minded wood coatings professionals.

- Pioneering digital capabilities: from AkzoNobel Wood app* and e-ordering portal*, to website and social platforms

*Currently available to distributors only.

03. SUSTAINABILITY

IT ALL ADDS UP

WHEN IT COMES TO SUSTAINABILITY, EVERY ACTION COUNTS

We are helping our customers strengthen their environmental performance and become more sustainable through their choice of wood finishes partner, using actions and initiatives grouped under three key pillars:

-  **Taking the lead**
Highlighting efforts to reduce our own carbon footprint across our value chain by 50% by 2030 and setting the example to drive positive change.
-  **Exploring new options**
Focusing on the business's ongoing investments in making its solutions more sustainable, by extending the life of products, reducing waste & maintenance needs, and saving energy throughout the value chain.
-  **Sharing responsibility**
Showcasing AkzoNobel's value-led approach to helping customers identify opportunities to reduce their carbon footprint and make their businesses more sustainable.

Join the journey towards a sustainable future

OUR WOOD FINISHES PORTFOLIO






04. AKZONOBEL

WE'RE PART OF THE AKZONOBEL FAMILY

AkzoNobel

We are one of the key brands of the Industrial Coatings business unit at AkzoNobel, a pioneer in sustainable paints and coatings. The business unit consists of Wood Finishes and Adhesives, Coil and Extrusion Coatings and Packaging Coatings.

Active in over 150 countries, AkzoNobel has been pioneering a world of possibilities to bring surfaces to life for centuries, across a huge variety of products and applications. It's likely we're all only ever a few metres away from one of our products. Being part of the AkzoNobel family means we have quick and easy access to research and development operations, cutting-edge technologies and comprehensive support networks.



05. COLOUR-CODING SYSTEM

THE KEY TO OUR COLOURS

Introducing our new colour-coded system designed to simplify product selection.

We understand that navigating product ranges from a wide range of options can sometimes be a challenge. Overwhelming, even.

That's why we've developed a system of layered, colour-coded information in a consistent, coherent style to help make product selection as easy as possible.

INTERIOR

For our range of interior wood coatings solutions, we use blue. Please refer to the Sikkens Wood Coatings interior catalogue for complete information on this range.

EXTERIOR

For our range of exterior wood coatings solutions, we use green. The technologies and categories of this range can be identified via the colour-coded system below.



TECHNOLOGIES

Our range of technologies has a colour-coded system, making product selection as easy as possible.

WATERBORNE

SOLVENTBORNE

CATEGORIES

Each category is part of our new colour-coded system.

| | |
|--------------------|-----------|
| IMPREGNATION | PRIMERS |
| SEALANTS & FILLERS | MIDCOATS |
| TOPCOATS | HARDENERS |
| THINNERS | ADDITIVES |
| OIL | CARE |

TECHNOLOGY YOU CAN TRUST

As committed innovators, technology is central to our approach of consistently delivering the best solutions to our partners and their customers.

Every customer, every project, every application is different. Each brings its own challenges and its own ideal solutions.

We're continually investing in our technologies and in our R&D capabilities to match these evolving needs, as well as testing our products in different geographies with varied climates and extreme conditions, and pioneering fresh aesthetics to create new opportunities for our partners and their customers.

[View our product portfolio on page 29](#)



WATERBORNE

OUR SOLUTIONS FOR MORE SUSTAINABLE, SAFER AND LOW VOC COATINGS

Our waterborne coatings usually contain a maximum of 5% solvent and have some of the lowest emissions among coating technologies.

They're recognized for their exceptional durability, scratch resistance, stacking and drying properties. As they're not hazardous, they don't require special transportation, just compliance with frost sensitivity specifications.

Available in 1K (pack) and for some special system as 2K (pack).

Key advantages

- Easy storage with no A1 storage required
- More environmentally and health friendly than solventborne coatings
- Application equipment can simply be cleaned with water
- No flash point, meaning no EX protection required for spraying equipment
- Increased durability

SOLVENTBORNE

ROBUST, DURABLE TECHNOLOGY

Our solventborne range consists of robust and easy to apply products, with familiar application methods and excellent drying properties.

Key advantages

- Easy to apply
- Strong surface quality
- Fast drying
- Great durability

07. CATEGORIES

SOLUTIONS FOR COMPLETE SYSTEMS

Whatever the project, across an expansive range of applications, we have the ideal solution.

Our versatile, practical approach is combined with a comprehensive product portfolio. From topcoats to primers, hardeners to additives, our products work together from top to bottom, delivering a full range of solutions for complete coatings systems.

We provide responsive support and aftersales solutions, such as care and maintenance products. For any special projects please refer to your local representative.

For information on recommended systems please see page 75

IMPREGNATION

Exterior wood must be protected against the effects of moisture to avoid future problems. If moisture penetrates the structure, our impregnation products and waterproof primers offer reliable protection, especially in critical locations, such as joints.

PRIMERS

Primers are the link between the wood surface and the coating. Their composition influences important characteristics of the overall coating system, such as adhesion performance. Our wide range of primers has been developed with modern dispersions that ensure the best adhesion to both the substrate and the coating.

SEALANTS & FILLERS

Wooden windows are only functional as long as they have all around protection. Structural points, like corner joints, are particularly vulnerable. An open joint invites moisture to penetrate the wood, which causes damage. Our range of products offers efficient protection and peace of mind to prevent damage from moisture.

MIDCOATS

Our midcoat solutions provide increased system safety. This is particularly crucial for hardwood with large pore structures, where conventionally sprayed midcoats can lead to inconsistent wetting at pore borders, which in turn creates weak spots due to moisture and UV penetration.

TOPCOATS

Our comprehensive range of topcoats covers an almost endless variety of colours and gloss levels and a wide range of properties, providing limitless finishing possibilities for exterior wooden structures. Fresh aesthetic options range from modern to classic, and all come with long-term protection guaranteed.

Our translucent CETOL range and opaque RUBBOL portfolio are the stand-out performers among exterior topcoat solutions available today.

HARDENERS

While some of our innovative waterborne coating systems can be processed without hardeners, they are essential for our 2K products. They react with the binders in the coatings to develop a durable surface. Our hardeners should be used with the corresponding coatings (see TDS) to obtain the best results.

THINNERS

Thinners optimise the processing viscosity of products for specific applications. Our thinners should be used with the corresponding coatings (see TDS) to obtain the best results.

ADDITIVES

Additives are complementary products developed for specific applications and procedures. When added to the recommended product, additives provide specific paint properties, such as increasing wet film thickness, reducing gloss level or creating a rougher surface.

OIL

Oils are made of natural raw materials that cure via oxidation. Oils protect the wood by penetrating it, rather than by forming a layer, to deliver supreme water resistance. Our oil reliably protects the wood against weathering influences, prevents traces of wear and ageing, and increases the longevity of wooden components.

CARE

We recommend regularly cleaning wooden structures. Our special cleaner, maintenance milk, and care cloth provide the ideal aftercare package to keep windows, doors and other exterior wooden elements in great condition, helping to maintain exceptional aesthetics and performance.



EXTERIOR DOORS

Doors symbolise the transition from one place to another; from the outside to the inside. They provide intrigue of what's to come, what lies ahead – what's behind the door. They also offer protection from the world and present an opportunity to create a cohesive design scheme. Our range of coatings for exterior doors includes mainly waterborne technologies across both translucent and opaque systems. All are available in various gloss levels and colours that meet the highest quality requirements for performance and durability.



08. AREAS OF USE

CREATIVITY KNOWS NO LIMITS

We've adapted how we interact and function with the spaces around us. We've overcome many obstacles and found ourselves in a new realm dedicated to reconnecting with our environments. The home, for many, has become the centre of our world – it's a school, an office, a gym, a cinema, as well as the place where we eat, sleep and spend time with friends and family.

We offer comprehensive coating systems for exterior buildings, from homes to commercial, to municipal, to mention a few. They all provide substantial protection, longevity, beauty and design freedom, helping us feel connected with the spaces around us. Choosing our exterior systems enables our partners and their customers to have reliability and choice, value and quality, and the freedom to enjoy endless design possibilities.



WINDOWS

Wood is the natural, sustainable raw material of choice for window production, with excellent opportunities to drive a trend-led design aesthetic. Our high-quality products, specifically designed for wooden frames, offer superior durability to preserve, protect and enhance. Available in a range of shades, our professional coatings stand the test of time, providing durability and protection through all weathers.

CLADDINGS

Claddings are used not only to provide thermal insulation and weather resistance on all types of buildings, they are also a contemporary design feature that is growing in popularity. Our paint systems meet the highest quality requirements, as well as being certified for low flammability according to CE requirements.

DECKING AND NON STABLE CONSTRUCTION

A well maintained outdoor space can become an extension of the home or public area; a chance to maximize use of space and create distinct zones and environments. Our coating systems make these spaces enjoyable and comfortable, with the high level of protection and longevity needed to withstand the elements. From furniture to decking, our coatings can be used to add colour, texture and depth to outdoor design schemes.



PLAYGROUNDS AND MORE...

Bold colours and high-sheen coatings are often preferred for wooden or plywood playground equipment. Our countless colour shades, with glossy finishes, robust weather resistance and strong durability, offer the perfect opportunity to create fun, colourful playground schemes that provide years of enjoyment.



09. COLOUR COLLECTIONS

COLOUR NOT COMPROMISE

Colour is in our DNA. Our specialist in-house colour team delivers creative colour solutions to meet the needs of today's constantly evolving market. Our palettes inspire our customers to find the perfect product for their projects.



JOINERY COLOUR CLASSICS

The industry standard

Our Joinery Colour Classics (JCC) is the standardised collection of the most popular wood coatings, Europe-wide, with perfectly matching coverings and hues. This not only simplifies the design process and ordering, but also facilitates communication between manufacturers, building owners and architects.

JOINERY COLOUR CLASSICS PLUS

Even more colour variety

The Joinery Colour Classic Plus (JCC+) collection is a modular system comprising 10 coloured primers and 10 toned topcoats, offering 100 translucent or equalising translucent hues.

Once the final colour is decided, selecting the coloured primer and topcoat from the collection is simple.

NEVER ENDING IMPRESSIONS

Tantalising translucent colours

Our Never Ending Impressions collection, developed by the AkzoNobel Global Aesthetics Center, offers excellent protection with naturally beautiful colour possibilities, including a full spectrum of harmoniously balanced translucent colours, from subtle to vivid.

Wood / aluminium selection


Architectural trends and the growing use of solar technology in domestic buildings is increasing the demand for large-window construction. Wood aluminium construction offers significant benefits, including high inherent stability, very good insulation and a diverse variety of modern design possibilities. These types of construction are also easy to maintain and very durable.

Our Never Ending Impressions colour palette, specifically developed for wood/aluminium window construction, is perfectly suited to modern lifestyles, offering optimum protection and an extensive choice of colour possibilities.



LEARN MORE ABOUT OUR COLOUR COLLECTIONS

For the most up-to-date information visit: sikkens-wood-coatings.com



NAVIGATING OUR RANGE

We work closely with our partners and their customers to understand requirements and preferences. From the way we code our products to designing the icons and the labels, our goal is the same: to make it as simple as possible to find the right product at the right time.

Our product labels need to work hard to communicate multiple layers of information: product selection, product applications, compliance, and health and safety to name just a few. The clever label design uses colour-coding, icons and simple language to ensure easy navigation and understanding.

Product range

Exterior products always have a green bar at the top of the label. Interior products always have a blue bar.

Product description

A simple description of the product, translated in several different languages. (EN, NL, FR, DE, IT, ES, PL)

Technology


This is always clearly stated in the top bar of the tab and contains the technology name and corresponding colour*.

Category

This is clearly stated in the bottom of the tab and contains the category name and corresponding colour*. It's also translated into several different languages.

Product volume

Generally we use L for all products.



Product name

The example below explains how our products' names present their qualities and attributes.

- RUBBOL = TECHNOLOGY NAME

- W = PRODUCT TECHNOLOGY
 - W – Waterborne
 - S – Solventborne

- F = PRODUCT CATEGORY
 - P – Primer
 - M – Midcoat
 - F – Topcoat
 - H – Hardener
 - T – Thinner
 - V – Various

- 3311 = PRODUCT TYPE
 - 1XXX – Opaque Primer
 - 2XXX – Opaque Midcoat
 - 3XXX – Opaque Topcoat
 - 4XXX – Sealant
 - 5XXX – Translucent Primer
 - 6XXX – Translucent Midcoat
 - 7XXX – Translucent Topcoat
 - 8XXX – Hardener, Thinner, Additive
 - 9XXX – Translucent Topcoat

- 03 = APPLICATION METHOD
 - 01 – Dipping
 - 02 – Flowcoating
 - 03 – Spraying
 - 04 – Brushing
 - 05 – Brushing Machine
 - 06 – Vacumat
 - 07 – Spatula
 - 08 – Curtain Coater
 - 09 – Roller Coater

- 25 = GLOSS LEVEL AT 60°

Information icons

Developed to deliver clear product information at a glance, encompassing preparation and application advice, and certification information.

Coating base icon

This icon shows the coating base.
 BN00 – Base Neutral
 BW01 – Base White


* For details on our colour-coded system please see page 13

11. ICON GLOSSARY

THE GUIDE TO OUR ICON SYSTEM


The suite of easy-to-follow icons has been developed to deliver clear product information at a glance, encompassing preparation and application advice as well as certification information.

For more information on our product certifications please see page 69



COATING BASE

- 01 BN00 – Base Neutral
- 02 BW01 – Base White



PAINT TECHNOLOGY

- 03 Waterborne
- 04 Solventborne



PRODUCT PREPARATION

- 05 Tintable
- 06 Mixing Ratio 2 Component
- 07 Dilute with Water
- 08 Thinner



STABILITY

- 09 Non-stable (.1 Fence .2 Shutter)
- 10 Semi-stable (Cladding, wooden houses and garden furniture)
- 11 Stable for Windows
- 12 Stable for Doors



APPLICATION

- 13 Spray
- 14 Brush
- 15 Brushing Machine
- 16 Spatula
- 17 Dipping
- 18 High speed bell
- 19 Flowcoating
- 20 Rag / Wiping Cloth
- 21 Vacuum coater



SAFETY

- 22 Store in a Cool Place
Not in Direct Sunlight
- 23 Store Transport Free Of Frost
- 24 Use Protective Eyewear
- 25 Wear Protective Clothing
- 26 Wear Protective Footwear
- 27 Wear Protective Gloves
- 28 Wear Respirator
- 29 See TDS / Safety Sheet



CERTIFICATES

- 30 EN 599
- 31 EN 927-2
- 32 EN 13501-1
- 33 KOMO 32995/33199
- 34 KOMO 32995
- 35 KOMO 33199



12. PRODUCT PORTFOLIO

EXPLORE OUR RANGE

DISCLAIMER

Product images are for reference,
real product packaging may differ.



IMPREGNATION

Impregnation

CETOL® WP 567 BPD*



- 1K Waterborne impregnation primer**
 Translucent impregnating primer for pine
- Protecting against blue stain and wood rot
 - Tintable

| | | |
|--------------------------|---|-----------------------|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable, stable | |
| Application | Brushing machine, Dipping, Flow coating | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | | 20 l / 120 l / 1000 l |

RUBBOL® WP 177 BPD*



- 1K Waterborne impregnation primer**
 Opaque impregnation primer for pine
- Good pore wetting and run-off
 - Protecting against blue stain

| | | |
|--------------------------|-----------------------------------|-----------------|
| Main Areas of Use | Wood-aluminium constructions only | |
| Application | Dipping, Flow coating | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 20 l / 120 l |


CETOL® WP 5000-02



- 1K Waterborne impregnation primer**
 Translucent impregnation primer
- Futureproof solution
 - Protecting against bluestain and wood rot

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable, stable | |
| Application | Automated dipping, Automated spraying, Brush, Dipping, Flow coating/deluging, Roller | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Translucent | | 25 l / 120 l |

Impregnation



PRIMERS

CETOL® WP 566



- 1K Waterborne primer**
Translucent primer
- Good run-off properties
 - Low end grain uptake

| | | |
|--------------------------|---|-----------------------------|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable, stable | |
| Tintable | Yes | |
| Application | Brushing machine, Dipping, Flow coating, Vacuum coater, High speed bell | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | | 5 l / 20 l / 100 l / 1000 l |

CETOL® WP 582



- 1K Waterborne primer**
Translucent primer
- Good run-off properties
 - Good UV protection

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: semi-stable, stable | |
| Tintable | Yes | |
| Application | Brushing machine, Dipping, Flow coating, Vacuum coater | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 20 l |

RUBBOL® WP 198



- 1K Waterborne primer**
Opaque isolating primer and midcoat
- Isolating properties against tannin bleeding
 - Easy to sand

| | | |
|--------------------------|----------------------------------|-----------------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 5 l / 20 l / 120 l / 1000 l |

RUBBOL® WP 1900-02



- 1K Waterborne primer and midcoat**
Opaque isolating primer and midcoat
- Isolating properties against tannin bleeding
 - Good run-off properties
 - Good pore wetting
 - High filling properties

| | | |
|--------------------------|------------------------------|-----------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Flow coating | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 20 l / 120 l / 1000 l |

RUBBOL® WP 1807-03



- 1K Waterborne primer**
Opaque primer
- Good pore wetting
 - Easy to sand

| | | |
|--------------------------|----------------------------------|-----------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 20 l / 1000 l |

RUBBOL® WP 123



1K Waterborne primer and topcoat
 Opaque primer and midcoat for pine

- Good sanding properties
- Delays the yellowing on knots

| | | | |
|--------------------------|--------------------------|---|--|
| Main Areas of Use | | Wooden constructions: semi-stable | |
| Application | | Brushing machine, Spray application Airmix/Airless | |
| Thinner | | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize | |
| White | | 20 l | |

RUBBOL® WP 151



2K Waterborne primer
 Opaque 2K primer and midcoat

- Excellent isolating properties against tannin bleeding and knot yellowing
- High filling properties
- Package optimized for in-can mixing

| | | | | |
|--------------------------|--------------------------|--|----------------------|--|
| Main Areas of Use | | Wooden constructions, MDF, HDF: stable | | |
| Application | | Spray application Airmix/Airless | | |
| Hardener | Hardener WH 830 | Mix Ratio | 20% by weight (10:2) | |
| Thinner | | Water | | |
| Certification | | | | |
| Colour Shade | Gloss Level @ 60° | Packsize | | |
| White | | 4.16 l / 16.67 l | | |

RUBBOL® WP 1551-03



2K Waterborne Primer
 Opaque 2K primer

- Fast drying
- Easy to sand
- Optimized hardener ratio
- Isolating properties against tannin bleeding
- Low fiber rising

| | | | | |
|--------------------------|--------------------------|---|-------|--|
| Main Areas of Use | | Wooden constructions, MDF, HDF: stable | | |
| Application | | Spray application Airmix/Airless, High speed bell | | |
| Hardener | Hardener WH 8500 | Mix Ratio | 100:8 | |
| Thinner | | Water | | |
| Colour Shade | Gloss Level @ 60° | Packsize | | |
| White | | 20 l / 1000 l | | |

RUBBOL® WP 112 FR



1K Fire retardent primer
 Opaque fire retardent primer for claddings

- Quick drying
- Excellent wet adhesion
- B-s2,d0 classification according to EN13501-1

| | | | |
|--------------------------|--------------------------|--|--|
| Main Areas of Use | | Elements: semi-stable | |
| Application | | Brushing machine, Spray application Airmix/Airless, Vacuum coater | |
| Thinner | | Water | |
| Certification | | | |
| Colour Shade | Gloss Level @ 60° | Packsize | |
| Off-white | | 20 l | |

CETOL® SP 520



1K Solventborne primer
 Translucent primer for pine and hardwood

- Deep penetration
- Very low to no fiber rising

| | | | |
|--------------------------|--------------------------|---|--|
| Main Areas of Use | | Wooden constructions: semi-stable, stable | |
| Tintable | | Yes | |
| Application | | Brush, Dipping | |
| Thinner | | Thinner ST 825 (5 l / 25 l) | |
| Colour Shade | Gloss Level @ 60° | Packsize | |
| Base TC colourless | | 4.9 l / 19.6 l | |

RUBBOL® SP 110



1K Solventborne primer
 Translucent primer for pine and hardwood

- Isolating properties against tannin bleeding
- Very low to no fiber rising

| | | | |
|--------------------------|--------------------------|---|--|
| Main Areas of Use | | Wooden constructions: semi-stable, stable | |
| Application | | Brush, Dipping | |
| Thinner | | Thinner ST 825 (5 l / 25 l) | |
| Colour Shade | Gloss Level @ 60° | Packsize | |
| White | | 20 l | |





SEALANTS & FILLERS


Kodrin WV 442



1K Waterborne filler

White filler for primed wooden surfaces

- Quick drying
- Good spreading

| | | |
|--------------------------|---|-----------------|
| Main Areas of Use | To equalize small holes on primed wooden surfaces | |
| Application | Spatula  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 0.4 kg |




Kodrin WV 456



1K Waterborne sealant

Translucent endgrain sealer

- Quick drying
- Elastic
- Easy to apply

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Sealing of end-grains areas | |
| Application | Brush, Spatula   | |
| Certification |  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 0.75 l |

Kodrin WV 457



1K Waterborne sealant

Translucent V-joint end grain sealer for wooden windows

- Quick drying
- Easy to apply
- High transparency

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | For V-joints in the parapet areas of wooden elements | |
| Application | Squeezed | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 0.25 l |

Kodrin WV 458



1K Waterborne sealant

White V-joint end grain sealer for wooden windows

- Quick drying
- Elastic
- Easy to apply

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | For V-joints in the parapet areas of wooden elements | |
| Application | Squeezed | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 0.25 l |

Kodrin WV 470



1K Waterborne sealant

White V-joint end grain sealer for wooden windows

- Partially filling the V-joints
- Elastic

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | For V-joints in the parapet areas of wooden elements | |
| Application | Squeezed | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| White | | 0.32 l |

Kodrin WV 472



1K Waterborne sealant

Semi transparent V-joint end grain sealer for wooden windows

- Partially filling the V-joints
- Elastic

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | For V-joints in the parapet areas of wooden elements | |
| Application | Squeezed | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Semi translucent | | 0.32 l |



MIDCOATS

Midcoats

CETOL® WM 6100-02



1K Waterborne primer and midcoat

Crystal clear midcoat

- High transparency
- Excellent pore wetting
- Very good sanding properties
- Good run-off properties

| | | |
|--------------------------|------------------------------|-----------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Dipping, Flow coating | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 20 l / 120 l / 1000 l |

CETOL® WM 6100-03



1K Waterborne midcoat

Crystal clear midcoat

- High transparency
- Very good pore wetting
- Very good sanding properties

| | | |
|--------------------------|----------------------------------|-----------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 20 l / 120 l |

Midcoats

CETOL® WM 6900-02



1K Waterborne midcoat

Transparent isolating midcoat

- Isolating properties against tannin bleeding
- Good pore wetting
- High transparency

| | | |
|--------------------------|------------------------------|-----------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Dipping, Flow coating | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 20 l / 120 l / 1000 l |

CETOL® WM 6900-03



1K Waterborne midcoat

Transparent isolating midcoat

- Isolating properties against tannin bleeding
- Good pore wetting
- High transparency

| | | |
|--------------------------|----------------------------------|-----------------|
| Main Areas of Use | Wood-aluminium constructions | |
| Application | Spray application Airmix/Airless | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 20 l / 120 l |

sikkens
WOOD COATINGS

ULTIMATE 1K WATERBORNE PRIMER AND MIDCOAT

RUBBOL WM 2980-03

Opaque isolating primer and midcoat for windows and doors
Offers good pore-wetting and high filling properties for wooden constructions made of hardwood and pinewood for exterior and interior use.

- Good isolating properties against tannin bleeding
- Good pore wetting
- High filling properties
- High sagging resistance

For more information please visit
sikkens-wood-coatings.com



Applying Possibilities

WATERBORNE

MIDCOAT

AkzoNobel

CETOL® WM 651



2K Waterborne midcoat

Transparent 2K midcoat for oak

- High transparency
- Excellent isolating properties against tannin bleeding

| | | |
|--------------------------|--|----------------------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Spray application Airmix/Airless  | |
| Hardener | HWA6001 | Mix Ratio 20% (5:1) |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 5 l / 20 l |

RUBBOL® WM 2980-03



1K Waterborne primer and midcoat

Opaque isolating primer and midcoat

- Good isolating properties against tannin bleeding
- Good pore wetting
- High filling properties
- High sagging resistance
- Fits a 2 layer system

| | | |
|--------------------------|--|--------------------------------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Spray application Airmix/Airless  | |
| Thinner | Water | |
| Certification |  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Cream white | | 20 l / 60 l / 200 l / 400 l / 1000 l |
| Pearl white | | 1000 l |
| Grey | | 20 l / 600 l |







RUBBOL® WM 260



1K Waterborne midcoat

Opaque primer and midcoat

- Low early water uptake
- Good levelling
- Easy to apply
- Low fiber rising
- Tintable

| | | |
|--------------------------|---|---------------------------------|
| Main Areas of Use | Wooden constructions: semi-stable, stable    | |
| Tintable | Yes  | |
| Application | Spray application Airmix/Airless  | |
| Thinner | Water | |
| Certification |  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| N00 - Base neutral | | 19.2 l / 57.6 l / 192 l / 600 l |
| W05 - Base white | | 20 l / 60 l / 200 l / 600 l |
| RAL 7016 | | 20 l / 60 l / 600 l |
| RAL 9001 | | 20 l / 60 l / 200 l / 600 l |
| RAL 9010 | | 20 l / 60 l / 200 l / 600 l |



TOPCOATS

Topcoats

CETOL® WF 9810-03-XX



- 1K Waterborne mid- and topcoat**
Translucent mid- and topcoat
- Excellent transparency
 - Excellent levelling
 - Excellent durability
 - No dirt pick up

| | | |
|--------------------------|---|-----------------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 15 GU | 5 l / 20 l / 110 l / 1000 l |
| Base TC Colourless | 25 GU | 5 l / 20 l / 110 l / 1000 l |
| Larch | 25 GU | 5 l / 20 l |

CETOL® WF 9810-04-XX



- 1K Waterborne mid- and topcoat**
Translucent mid- and topcoat
- Repair product for Cetol WF 9810-03-XX series

| | | |
|--------------------------|------------------------------|-----------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Brush | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 15 GU | 1 l |
| Base TC colourless | 25 GU | 1 l |
| Base TC colourless | 45 GU | 1 l |

CETOL® WF 9810-46-25



- 1K Waterborne primer and topcoat**
Translucent mid- and topcoat
- 1-pot-2-layer-system
 - Excellent transparency
 - Excellent levelling
 - Medium build

| | | |
|--------------------------|---|--|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable | |
| Tintable | Yes | |
| Application | Brush, Vacuum coater, spray application Airmix/Airless, brushing machine, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 25 GU | 1 l / 2.5 l / 10 l / 20 l / 120 l / 1000 l |

CETOL® WF 9830-03-05



- 1K Waterborne mid- and topcoat**
Translucent mid- and topcoat
- Natural effect
 - Good flow
 - Excellent levelling
 - Medium build
 - Oil like finish

| | | |
|--------------------------|---|----------------------|
| Main Areas of Use | Wooden constructions: semi-stable, stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC Colourless | 5 GU | 2.5 l / 20 l / 120 l |

CETOL® WF 771



- 1K Waterborne primer, mid- and topcoat**
Translucent primer, mid- and topcoat with an oil finish appearance
- 1-pot-2-layer system
 - Good UV protection
 - High water vapour permeability

| | | |
|--------------------------|---|--------------------------------------|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable | |
| Tintable | Yes | |
| Application | Brush, Brushing machine, Dipping, Flow coating, Vacuum coater | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TU colourless | 5 GU | 2.5 l / 10 l / 20 l / 120 l / 1000 l |

CETOL® WF 945



- 1K Waterborne mid- and topcoat**
Translucent mid- and topcoat
- Excellent outdoor durability
 - Blushing free

| | | |
|--------------------------|----------------------------------|-----------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 10 GU | 5 l / 20 l |

Topcoats

CETOL® WF 960



1K Waterborne mid- and topcoat
Translucent mid- and topcoat

- Excellent outdoor durability
- Blushing free

| | | |
|--------------------|----------------------------------|-----------------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 30 GU | 5 l / 20 l / 120 l / 1000 l |

CETOL® WF 965



1K Waterborne mid- and topcoat
Translucent mid- and topcoat

- Excellent outdoor durability
- Blushing free

| | | |
|--------------------|----------------------------------|------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Base TC colourless | 40 GU | 5 l / 20 l |

NEW FOR 2026
RUBBOL WF 3350-03-XX



1K Waterborne mid- and topcoat
Opaque mid- and topcoat

- Excellent outdoor durability
- Good hiding power
- 22-24% biobased content (according to ASTM D6866, Method B)

| | | |
|---------------------|---|----------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 25 GU | 18 l |
| BW01 - Base white | 25 GU | 18 l |

sikkens

WOOD COATINGS

RUBBOL WF 3350-03-XX

WATERBORNE SPRAYABLE 1K MIDCOAT AND TOPCOAT

1K Waterborne opaque topcoat for wooden components. For interior and exterior use.

- Good hiding power
- Excellent weather resistance
- No dirt pick up
- 22-24% biobased content*
- Included in the Sikkens Extralife warranty

For more information please visit
[sikkens-wood-coatings.com](https://www.sikkens-wood-coatings.com)



Applying Possibilities

WATERBORNE

TOPCOAT

RUBBOL® WF 3300-03-XX



1K Waterborne mid- and topcoat

Opaque mid- and topcoat

- Excellent outdoor durability
- Improved scratch resistance
- Good hiding power

| | | |
|--------------------------|---|--------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 20 GU | 4.5 l / 9 l / 18 l |
| BW01 - Base white | 20 GU | 4.5 l / 9 l / 18 l |

RUBBOL® WF 3301-03-XX



1K Waterborne mid- and topcoat

Opaque thixotropic mid- and topcoat

- Excellent outdoor durability
- Improved scratch resistance
- Good hiding power
- Improved sagging resistance

| | | |
|--------------------------|---|--------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 20 GU | 4.5 l / 9 l / 18 l |
| BW01 - Base white | 20 GU | 4.5 l / 9 l / 18 l |
| RAL 9016 | 20 GU | 5 l / 20 l |
| BN00 - Base neutral | 25 GU | 18 l |
| BW01 - Base white | 25 GU | 18 l |

RUBBOL® WF 3310-03-XX



1K Waterborne mid- and topcoat

Opaque mid- and topcoat

- Excellent outdoor durability
- Good hiding power

| | | |
|--------------------------|---|-----------------------------|
| Main Areas of Use | Wooden constructions: semi-stable, stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 25 GU | 4.5 l / 9 l / 18 l / 1000 l |
| BW01 - Base white | 25 GU | 4.5 l / 9 l / 18 l / 1000 l |
| RAL 9016 | 25 GU | 20 l / 1000 l |
| RAL 6009 | 25 GU | 20 l |
| RAL 9005 | 25 GU | 20 l / 120 l |
| S4550-Y80R | 25 GU | 20 l |
| RAL 7016 | 25 GU | 20 l |
| RAL 7035 | 25 GU | 20 l |
| RAL 8016 | 25 GU | 20 l |
| RAL 9001 | 25 GU | 20 l |
| BN00 - Base neutral | 35 GU | 4.5 l / 9 l / 18 l / 1000 l |
| BW01 - Base white | 35 GU | 4.5 l / 9 l / 18 l / 1000 l |

RUBBOL® WF 3310-04-XX



1K Waterborne mid- and topcoat

Opaque mid- and topcoat

- Repair product for Rubbol WF 3310-03-XX

| | | |
|--------------------------|------------------------------|----------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Brush | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 25 GU | 0.9 l / 2.25 l / 9 l |
| BW01 - Base white | 25 GU | 0.9 l / 2.25 l / 9 l |
| BN00 - Base neutral | 35 GU | 0.9 l |
| BW01 - Base white | 35 GU | 0.9 l |

RUBBOL® WF 3310-06-25



1K Waterborne mid- and topcoat

Opaque mid- and topcoat

- 1-pot-2-layer-system
- Excellent levelling
- Medium build

| | | |
|--------------------------|--|-------------------------------------|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable | |
| Tintable | Yes | |
| Application | Vacuum coater, Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Certification | | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 25 GU | 2.25 l / 9 l / 18 l / 96 l / 1000 l |
| BW01 - Base white | 25 GU | 2.25 l / 9 l / 18 l / 96 l / 1000 l |
| RAL 9016 | 25 GU | 20 l / 120 l / 1000 l |
| RAL 1013 | 25 GU | 1000 l |
| RAL 9001 | 25 GU | 1000 l |

RUBBOL® WF 3311-03-XX



1K Waterborne mid- and topcoat

Opaque thixotropic mid- and topcoat

- Excellent outdoor durability
- Good hiding power
- Improved sagging resistance

| | | |
|--------------------------|---|---|
| Main Areas of Use | Wooden constructions: semi-stable, stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| BN00 - Base neutral | 25 GU | 4.5 l / 9 l / 18 l / 54 l / 96 l / 1000 l |
| BW01 - Base white | 25 GU | 4.5 l / 9 l / 18 l / 54 l / 96 l / 1000 l |
| RAL 9016 | 25 GU | 20 l / 60 l / 120 l / 1000 l |
| S0502-Y | 25 GU | 20 l / 1000 l |
| RAL 9016 | 35 GU | 20 l / 60 l / 1000 l |
| BN00 - Base neutral | 35 GU | 4.5 l / 9 l / 18 l |
| BW01 - Base white | 35 GU | 4.5 l / 9 l / 18 l |

RUBBOL® WF 3390-03-25



1K Waterborne mid- and topcoat
 Opaque mid- and topcoat

- Good levelling
- Metallic effect

| | | |
|--------------------------|---|--|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Thinner | Water | |

| Colour Shade | Gloss Level @ 60° | Packsize |
|----------------------------|-------------------|----------|
| White aluminium metallic | 25 GU | 10 l |
| Mouse grey metallic | 25 GU | 10 l |
| Gold bronze metallic | 25 GU | 10 l |
| Ruby metallic | 25 GU | 10 l |
| Ultra marine blue metallic | 25 GU | 10 l |
| Moss green metallic | 25 GU | 10 l |
| DB metallic colours | 25 GU | 10 l |

RUBBOL® WF 375



1K Waterborne mid- and topcoat
 Opaque mid- and topcoat

- High filling properties
- Good outdoor durability
- Semi gloss

| | | |
|--------------------------|----------------------------------|--|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |

| Colour Shade | Gloss Level @ 60° | Packsize |
|--------------------|-------------------|--------------------------------|
| N00 - Base neutral | 70 GU | 4.9 l / 9.8 l / 19.6 l / 960 l |
| W05 - Base white | 70 GU | 5 l / 10 l / 20 l / 1000 l |
| RAL 9010 | 70 GU | 20 l / 60 l / 600 l |

RUBBOL® WF 382




1K Waterborne mid- and topcoat
 Opaque mid- and topcoat

- Good durability and permanently elastic
- Good levelling

| | | |
|--------------------------|----------------------------------|--|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |

| Colour Shade | Gloss Level @ 60° | Packsize |
|--------------------|-------------------|--------------------------------|
| N00 - Base neutral | 25 GU | 4.9 l / 9.8 l / 19.6 l / 980 l |
| W05 - Base white | 25 GU | 5 l / 10 l / 20 l / 1000 l |
| RAL 9010 | 25 GU | 20 l |
| RAL 9016 | 25 GU | 20 l / 120 l / 1000 l |



sikkens

WOOD COATINGS

HIGH QUALITY WATERBORNE SPRAYABLE 2K TOPCOAT

RUBBOL WF 3621-03-35

2K Waterborne topcoat for windows and doors
Waterborne topcoat for wooden components made of hardwood, softwood and HDF. For exterior and interior use.

- High scratch resistance
- Excellent outdoor durability
- High chemical resistance
- High sagging resistance

For more information please visit sikkens-wood-coatings.com



Applying Possibilities

WATERBORNE

TOPCOAT

AkzoNobel

RUBBOL® WF 387



1K Waterborne mid- and topcoat

Opaque mid- and topcoat

- Good durability and permanently elastic
- Good levelling

| | | |
|-------------------|----------------------------------|--|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless | |
| Thinner | Water | |
| Certification | | |

| Colour Shade | Gloss Level @ 60° | Packsizes |
|--------------------|-------------------|--------------------------------|
| N00 - Base neutral | 40 GU | 4.9 l / 9.8 l / 19.6 l / 980 l |
| W05 - Base white | 40 GU | 5 l / 10 l / 20 l / 1000 l |
| RAL 9010 | 40 GU | 20 l |
| RAL 9016 | 40 GU | 20 l |

RUBBOL® WF 3620-03-XX



2K Waterborne mid- and topcoat

Opaque 2K topcoat

- High scratch resistance
- Excellent outdoor durability
- High chemical resistance
- QB33 certification

| | | |
|-------------------|---|------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Tintable | Yes | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Hardener | Hardener WH 8500 | Mix Ratio 100:10 |
| Thinner | Water | |

| Colour Shade | Gloss Level @ 60° | Packsizes |
|---------------------|-------------------|-------------|
| BN00 - Base neutral | 25 GU | 18 l |
| BW01 - Base white | 25 GU | 18 l |
| BN00 - Base neutral | 35 GU | 9 l |
| BW01 - Base white | 35 GU | 9 l / 180 l |

RUBBOL® WF 3621-03-35



2K Waterborne mid- and topcoat

Opaque 2K topcoat

- High scratch resistance
- Excellent outdoor durability
- High chemical resistance
- Increased sagging resistance

| | | |
|-------------------|---|------------------|
| Main Areas of Use | Wooden constructions: stable | |
| Application | Spray application Airmix/Airless, High speed bell | |
| Hardener | Hardener WH 8500 | Mix Ratio 100:10 |
| Thinner | Water | |

| Colour Shade | Gloss Level @ 60° | Packsizes |
|---------------------|-------------------|-----------|
| BN00 - Base neutral | 35 GU | 18 l |
| BW01 - Base white | 35 GU | 18 l |







CETOL® SF 731



1K Solventborne primer and topcoat

Translucent primer and topcoat with a natural oil look

- High transparency
- Deep penetration
- Wood oil
- With UV protection

| | | | |
|--------------------------|---|------------------|---|
| Main Areas of Use | Wooden constructions: non-stable, semi-stable | |    |
| Application | Brush, Brushing machine, Dipping | |    |
| Thinner | Thinner ST 825 (5 l / 25 l) | | |
| Colour Shade | Gloss Level @ 60° | Packsizes | |
| Colourless | 5 GU | 5 l / 20 l | |

CETOL® SF 711




1K Solventborne primer, mid- and topcoat

Translucent primer, mid- and topcoat with thin build

- 1-pot-3-layer-system
- Good UV protection
- Good weather resistance

| | | | |
|--------------------------|-----------------------------------|------------------|---|
| Main Areas of Use | Wooden constructions: semi-stable | |  |
| Tintable | Yes | |  |
| Application | Brush | | |
| Thinner | Thinner ST 825 (5 l / 25 l) | | |
| Colour Shade | Gloss Level @ 60° | Packsizes | |
| Base TC colourless | 15 GU | 9.7 l | |



ADDITIONAL PRODUCTS

Hardener WH 830



Hardener
Hardener to RUBBOL WP 151

| Certification | | |
|---------------|-------------------|-----------------|
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 0.84 l / 3.33 l |

Hardener WH 8500



Hardener
Hardener to RUBBOL WF 3620, WF 3621, WP 1551


| Colour Shade | Gloss Level @ 60° | Packsize |
|--------------|-------------------|-----------|
| Colourless | | 1 l / 5 l |

HWA 6001



Hardener
Hardener to Cetol WM 651

| Colour Shade | Gloss Level @ 60° | Packsize |
|--------------|-------------------|----------|
| Colourless | | 2 l |



Thinner ST 825



Thinner
For solventborne products

| Colour Shade | Gloss Level @ 60° | Packsize |
|--------------|-------------------|------------|
| Colourless | | 5 l / 25 l |

ST 830



Cleaning agent
Cleaning and rinsing agent for production lines and tools using waterborne products

- Neutral odour
- Good and mild cleaning properties

| Main Areas of Use | After use of waterborne products for dirty tools such as spraying devices, hoses, pistols, injectors, plank painting machines, for rinsing flow installations. For the removal of dried remnants of paint and splashes. | |
|--------------------------|---|------------|
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 5 l / 10 l |

WV 810



Additive
Metallic effect paste

| Colour Shade | Gloss Level @ 60° | Packsize |
|-----------------|-------------------|----------|
| Silver Metallic | | 8.3 l |

WV 830



Additive
Matting agent for waterborne products

- For reduction of gloss
- Added amount max. 5% by volume

| Main Areas of Use | For gloss adjustment of topcoats | |
|-------------------|----------------------------------|----------|
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 0.5 l |

WV 887



Additive
Defoamer for CETOL WF 9810-46-25 and RUBBOL WF 3310-06-25 ranges

- For prevention of foam formation during handling in vacumats
- Added amount 0.1-0.5% by volume

| Main Areas of Use | For waterborne topcoats | |
|-------------------|-------------------------|----------|
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 5 l |


WV 891



Additive
Defoamer for CETOL WM 6100-02 and CETOL WM 6900-02

- For prevention of foam formation during handling in flowcoat
- Added amount 0.1-0.5% by volume

| Main Areas of Use | For waterborne products | |
|-------------------|-------------------------|----------|
| Thinner | Water | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Milky white | | 5 l |



OIL

CETOL® SF 733



1K Solventborne oil

Translucent oil

- Very good to improve water resistance
- Good to renew all painted wooden components

| Main Areas of Use | Wooden constructions: non-stable, semi-stable | | |
|-------------------|---|-----------|--|
| Application | Application by sponge/bale of cloth, Brush | | |
| Colour Shade | Gloss Level @ 60° | Packsize | |
| Colourless | 5 GU | 1 l / 5 l | |



CARE

WV 801



Waterborne maintenance milk matt
Matt maintenance milk to protect and refresh weathered paint surfaces on windows

- For freshening and weather protection care of weathered coating surfaces on wooden windows
- Regular use (1x per year) extends renovation intervals

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Sponge  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | Matt | 0.25 l |

WV 802



Waterborne maintenance milk glossy
Glossy maintenance milk to protect and refresh weathered paint surfaces on windows.

- For freshening and weather protection care of weathered coating surfaces on wooden windows
- Regular use (1x per year) extends renovation intervals




| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Sponge  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | Gloss | 0.25 l |

WV 803



Cleaner
Cleaning lotion to degrease and clean painted surfaces

- Cleaning and degreasing of closed surfaces e.g. varnishes, translucent coats and plastics, metals

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Sponge  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | | 12x 0.25 l |

WV 804



Waterborne maintenance kit glossy
Glossy maintenance kit including milk and cleaner. WV 804 contains WV 802 and WV 803

- Refreshes the gloss and makes the window weather-proof again
- Regular use extends the renovation intervals
- Content: Special cleaner WV 803 (250 ml) / maintenance milk glossy WV 802 (250 ml) / sponge / manual (leaflet)

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Sponge  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | Gloss | 12x 0.25 l |

WV 806



Waterborne maintenance kit matt
Matt maintenance kit including milk and cleaner. WV 806 contains WV 801 and WV 803.

- Refreshes the gloss and makes the window weatherproof again
- Regular use extends the renovation intervals
- Content: Special cleaner WV 803 (250 ml) / maintenance milk matt WV 801 (250 ml) / sponge / manual (leaflet)

| | | |
|--------------------------|--|-----------------|
| Main Areas of Use | Wooden constructions: stable   | |
| Application | Sponge  | |
| Colour Shade | Gloss Level @ 60° | Packsize |
| Colourless | Matt | 12x 0.25 l |



AKZONOBEL COLOURS
OF THE YEAR 2026
RHYTHM OF BLUES™

We believe in blue for 2026! A versatile colour family that's cooling, calming and creative – just what we need in our homes this year, according to the sentiments that came out of our annual Trend Forecast.

13. COLOUR SYSTEM

COLOUR CONFIDENCE FOR DISTRIBUTORS AND INDUSTRIAL PRODUCERS

Our colour system is specially designed to obtain the best flexibility of use and to fit the needs of our partners.

Our in-house team of experts delivers creative colour solutions to meet the needs of today's constantly evolving market. Our palettes inspire our customers to find the perfect product for their projects.

As part of our commitment to colour quality, we offer our distributors and industrial producers* a comprehensive system of software technology and machinery (as well as paint) to deliver complete colour confidence to all our customers. We believe that using our colour services, together we are more successful.

Within the Sikkens Wood Coatings colour system we have paid detailed attention to all elements that are key to delivering constant colour accuracy. Carefully selected colourants and bases coupled with tailored equipment and software combine to offer an exceptional colour system, backed up by our team of experts to guide you through the process.

ADVANTAGES WITH OUR COLOUR SYSTEM

Advanced and practical support for our partners through our leading-edge colour technology tools:

- Excellent waterborne and solventborne colourants for a consistent and stable colour when mixed with our specifically developed bases
- Colour tinting equipment enables perfect colour delivery
- Sikkens Wood Coatings colour software makes any imaginable colour accessible
- Spectrophotometer measures and matches colours with ease
- Colour tools help with creative decisions and colour selection

High compatibility

Our range of Tintflex and Aquaflex colourants can be used with translucent or opaque bases to create any colour that is desired.

Colour possibilities

AkzoNobel's standard colour collections include: RAL, NCS, and Sikkens 5051. Visual representation of the colour helps to make choices and inspire.

First time accuracy

The Sikkens Wood Coatings colour software in combination with our constantly updated database, gives instant access to thousands of colours and, combined with the use of our spectrophotometer, makes the selection process easy and accurate.

Effective and easy to use

Our tinting machines are easy to handle (plug and play installation) and will entirely meet your requirements.


TINTING MACHINES

There are many tinting machines on the market today. We have selected the machine with a fit-for-purpose configuration for great flexibility. We offer various machines, suitable for solventborne and waterborne products. The HA 480 is shown below, but we also support the HA 180 for smaller base paint consumption needs. Specific tinting machine options can be discussed with our technical experts

DESIGNED TO HOLD SINGLE OR BOTH SYSTEMS

WATERBORNE AND SOLVENTBORNE AUTOMATIC SYSTEM FAST & FLUID HA 480

- For interior and exterior bases
- Automatic machine with piston pumps
- High quality, precision, and reliability
- 16- or 32-canister configuration
- Canister sizes: 3 and 6 litres
- Compatible with Tintflex (solventborne) and Aquaflex (waterborne) colourants




SIKKENS WOOD COATINGS COLOUR SOFTWARE

The Sikkens Wood Coatings colour software is our proprietary colour retrieval platform which comes pre-installed on your tinting machine, putting any imaginable colour at your fingertips. The tool is very easy to use and navigate.

Connected to the internet, the database is updated twice per week with instant access to the latest formulas, safely storing a back-up of the customer's data. Larger customers can share their own colours between different locations.

Together with the spectrophotometer, virtually any colour desired can be created with our products. Formulas can be corrected, and mixed colours can be stored and retrieved at any time. The selected colour can be mixed quick and easy via the automated dosing of the mixing machine.



SPECTROPHOTOMETERS

The hand-held portable SPECTRO 1 is Sikkens Wood Coatings' latest digital technology for reliable colour measurements. The high-spec mobile instrument is easy to use, has best-in-class performance and allows for small and large measurements of coloured substrates.

We also offer the Datacolor 200. This benchtop spectrophotometer is connected to the same colour software and database with Sikkens Wood Coatings colours.

The Sikkens Wood Coatings colour software helps you find a close match to an existing colour in the database or formulate a new shade.



DESIGNED FOR DISTRIBUTORS

Please note that the equipment featured on this page has been specifically designed for use by trained distributors only.

COLOURANTS

Our colourant systems, Aquaflex and Tintflex, have been developed specifically for use in wood coatings. The pigments for the colourant colours have been chosen for an optimum reach of colour shades and yet keep the system compact. All our base paints have been developed to work well with these colourants, with great acceptance and colour stability. This is a key element in delivering a predictable and constant colour, and that is what makes our colour system so strong.

Main features

- Good storage stability
- Long-term colour stability
- Excellent hiding power
- Chrome and lead-free



AQUAFLEX

OUR AKZONOBEL WOOD COATINGS RANGE OF COLOURANTS FOR WATERBORNE PRODUCTS

| | | | | | | | |
|-------|--|-------|--|-------|--|-------|--|
| AN102 | | AY121 | | AY124 | | AY125 | |
| AJY | | AY128 | | AR131 | | AR136 | |
| AR145 | | AR143 | | AJR | | AG181 | |
| AB161 | | AB155 | | AN112 | | AN114 | |

TINTFLEX

OUR AKZONOBEL WOOD COATINGS RANGE OF COLOURANTS FOR SOLVENTBORNE PRODUCTS

| | | | | | | | |
|------|--|------|--|------|--|------|--|
| N100 | | Y120 | | Y122 | | Y123 | |
| Y127 | | Y126 | | R130 | | R135 | |
| R142 | | R144 | | B150 | | G180 | |
| B160 | | B154 | | N110 | | N111 | |



Canada

By doing regular parameter checks and visual inspections, we are able to monitor the durability of our systems.



Turkey

Ensuring we are able to test our products in a wide range of locations and conditions gives us the data and knowledge we need.

- Norway
- Sweden

■ USA



Malaysia

We are confident that our products are of the highest quality and will perform as needed.

■ Australia

14. GLOBAL WEATHERING PROGRAM

TESTED TO THE LIMIT

With our AkzoNobel Global Weathering Program we expose and monitor our product samples to a variety of outside weathering conditions over a longer period of time.

By accelerating the outside exposure, we're able to define the durability of our systems and offer reliable solutions. These rigorous weather tests help us to demonstrate that wooden joinery or PVC coated substrates can easily endure outdoor weather conditions even in extreme environments.

To find out more information about our Global Weathering Program, please visit: sikkens-wood-coatings.com

15. CERTIFICATES

TESTED AND TRUSTED

Testing standards are critical for most wood coatings products, and certificates are essential for many projects. All of our products undergo rigorous testing, with all tests carried out on cured coatings by authorised bodies. Products that meet certified standards not only provide quality assurance but offer peace of mind that they align with even the most stringent specifications.

For specific details and the latest information visit: sikkens-wood-coatings.com

CERTIFICATES FOR PRODUCTS



EN 599-1
Durability of wood and wood-based products - Efficacy of preventive wood preservatives as determined by biological tests - Specification according to use class

EN 599 is applicable to all liquid wood preservative products for the preventive treatment of timbers (structural and non-structural) against wood-attacking fungi, wood-attacking insects and marine borers as described in EN 335-1. It's also applicable to products for preventive treatments against fungi that cause disfigurement (blue stain) of wood, if this forms part of the overall preventive efficacy of the product.

| Product Name | EN 599-1 |
|----------------------|----------|
| Rubbol WP 177 BPD* | ✓ |
| Rubbol WP 567 BPD** | ✓ |
| Rubbol WP 5000-02*** | ✓ |



KOMO
Quality standard that provides guarantees for both the supply and demand sides of the building industry

Set up in 1962 under the auspices of the Dutch government, KOMO is a voluntary quality mark for the building industry and infrastructure sector that is now widely used and recognised internationally. KOMO certification means a product (or products) intended for the building or infrastructure sector has been assessed and certified. It also applies to the production method and the associated internal quality assurance system.

KOMO certification is possible for all raw materials, auxiliary materials, building products, building systems, realisation processes, management systems and services in the building infrastructure chain.

All products need to comply with KOMO to be a truly certified system. Further details can be found in the table:



| Product Name | KOMO 32995 | KOMO 33199 |
|--------------------------------------|------------|------------|
| AQUA PU-PRIMER 253/ RUBBOL WP 151 | | ✓ |
| CETOL WP 566 | | ✓ |
| CETOL WM 6100-02 | | ✓ |
| CETOL WM 6900-02 | | ✓ |
| RUBBOL WF 375 W05 | | ✓ |
| RUBBOL WF 375 N00 | | ✓ |
| RUBBOL WF 375 RAL 9010 | | ✓ |
| RUBBOL WM 260 W05 | ✓ | ✓ |
| RUBBOL WM 260 N00 | ✓ | ✓ |
| RUBBOL WM 260 RAL 9001 | ✓ | ✓ |
| RUBBOL WM 260 RAL 7016 | ✓ | ✓ |
| RUBBOL WM 260 RAL 9010 | ✓ | ✓ |
| RUBBOL WM 2980-03 | | ✓ |
| RUBBOL WM 2980-03 GREY | | ✓ |
| RUBBOL WM 2980-03 PEARL WHITE | | ✓ |

| Product Name | KOMO 32995 | KOMO 33199 |
|-------------------------------|------------|------------|
| CETOL WF 945 | | ✓ |
| CETOL WF 960 | | ✓ |
| CETOL WF 965 | | ✓ |
| RUBBOL WF 382 W05 | | ✓ |
| RUBBOL WF 382 N00 | | ✓ |
| RUBBOL WF 382 RAL 9010 | | ✓ |
| RUBBOL WF 382 RAL 9016 | | ✓ |
| RUBBOL WF 387 W05 | | ✓ |
| RUBBOL WF 387 N00 | | ✓ |
| RUBBOL WF 387 RAL 9016 | | ✓ |
| RUBBOL WF 387 RAL 9010 | | ✓ |
| RUBBOL WF 3310-06-25 B01 | ✓ | |
| RUBBOL WF 3310-06-25 B00 | ✓ | |
| RUBBOL WF 3310-06-25 RAL 1013 | ✓ | |
| RUBBOL WF 3310-06-25 RAL 9001 | ✓ | |
| RUBBOL WF 3310-06-25 RAL 9016 | ✓ | |

* Available for sale in the following countries Denmark, Austria, Czech Republic, Hungary, Lithuania, Slovakia, Slovenia

**Available for sale in the following countries Denmark, Austria, Switzerland, Czech Republic, Norway, Ireland, Estonia, Latvia, Poland, Slovakia, SI, HR, Italy, France, Spain, Portugal, Netherlands, Belgium, Romania

*** UNION approved

PERFORMANCE AND DURABILITY CERTIFICATES FOR SYSTEMS

EN927-2 Paints and varnishes - Coating materials and coating systems for exterior wood - Part 2: Performance specification

EN927-2 addresses performance criteria for coating systems on exterior wood. Performance requirements are specified according to three categories of end-use (defined in EN 927-1). It involves two mandatory tests: natural weathering performance testing in accordance with EN 927-3, and water permeability testing in accordance with EN 927-5.



SCAN TO VIEW SPECIFIC SYSTEM CERTIFICATES

For the most up-to-date information visit: sikkens-wood-coatings.com

| Impregnation | Primer | Midcoat | Topcoat | EN927-2 |
|--------------|----------------------|-------------------|----------------|---------|
| CETOL WP 567 | RUBBOL WP 19XX | RUBBOL WF 33XX | RUBBOL WF 33XX | ✓ |
| CETOL WP 567 | CETOL WM 69XX | RUBBOL WF 33XX | RUBBOL WF 33XX | ✓ |
| CETOL WP 567 | CETOL WM 69XX | CETOL WF 96XX | CETOL WF 96XX | ✓ |
| CETOL WP 567 | CETOL WM 69XX | CETOL WF 98XX | CETOL WF 98XX | ✓ |
| CETOL WP 567 | CETOL WM 61XX | CETOL WF 98XX | CETOL WF 98XX | ✓ |
| | RUBBOL WP 18XX spray | | RUBBOL WF 33XX | ✓ |
| | RUBBOL WP 19XX FC | RUBBOL WP 19XX FC | RUBBOL WF 33XX | ✓ |
| | RUBBOL WP 198 | | RUBBOL WF 33XX | ✓ |
| | RUBBOL WP 151: WH830 | | RUBBOL WF 33XX | ✓ |

| Impregnation | Primer | Midcoat | Topcoat | EN927-2 |
|--------------|-------------------|---------------|----------------|---------|
| | RUBBOL WF 33XX | | RUBBOL WF 33XX | ✓ |
| | | | RUBBOL WF 33XX | ✓ |
| | RUBBOL WP 198 | RUBBOL WP 198 | RUBBOL WF 36XX | ✓ |
| | RUBBOL WM 2980-03 | | RUBBOL WF 36XX | ✓ |
| | RUBBOL WP 15XX | | RUBBOL WF 36XX | ✓ |
| | RUBBOL WP 15XX | | RUBBOL WF 33XX | ✓ |
| | CETOL WP 567 | CETOL WF 98XX | CETOL WF 98XX | ✓ |
| | CETOL WP 567 | CETOL WF 96XX | CETOL WF 96XX | ✓ |

FIRE RETARDANT CERTIFICATES FOR SYSTEMS

EN13501-1 Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests

This European Standard specifies the reaction to fire classification procedure for all construction products, including products incorporated within building elements. Products are considered in relation to their end-use application across three categories: construction products, excluding floorings and linear pipe thermal insulation products; floorings; linear pipe thermal insulation products.

EN13501-2 Fire classification of construction products and building elements - Classification using data from fire resistance tests, excluding ventilation services

This European Standard specifies the procedure for classification of construction products and building elements using data from fire resistance and smoke leakage tests which are within the direct field of application of the relevant test method. Its scope also covers classification on the basis of extended application of test results.

EN16755 Durability of reaction to fire performance - Classes of fire-retardant treated wood products in interior and exterior end use applications

EN16755 describes the characteristics for fire-retardant treated wood products. It is based on maintaining undiminished performance throughout the product's service life in the anticipated interior or exterior end-use conditions. It applies to wood that has been treated during a production process with fire-retardant products applied either by a penetration process or by a superficial process, such as a film-forming or intumescent coating. It also covers fire-retardant treated products that are coated with ordinary paint.

| Primer | Topcoat | Certificate | Classification* |
|--|--|----------------------------------|-----------------|
| RUBBOL WP 112 FR (250 g/m ²) | RUBBOL WF 33XX (150 g/m ²) | EN 13501-1; EN 13501-2; EN 16755 | B-s2, d0 |
| RUBBOL WP 186X | RUBBOL WP 186X | EN 13501-1 | D-s2, d0 |
| RUBBOL WP 112 FR (125 g/m ²) | RUBBOL WF 33XX | EN 13501-1 | D-s2, d0 |
| Axil 3000P | RUBBOL WF 33XX | EN 13501-1 | D-s2, d0 |
| RUBBOL WF 33XX | RUBBOL WF 33XX | EN 13501-1 | D-s1, d0 |
| CETOL WF 98XX | CETOL WF 98XX | EN 13501-1 | D-s2, d0 |
| CETOL WF 771 | CETOL WF 771 | EN 13501-1 | D-s2, d0 |

*Euroclass system

The main area of use is a basis for classification within the fire classes A2, B, C or D and associated smoke classes s1, s2 or s3 and the presence of burning droplets/particles d0, d1 or d2.



SCAN TO VIEW SPECIFIC SYSTEM CERTIFICATES

For the most up-to-date information visit: sikkens-wood-coatings.com



16. WOOD EXTRALIFE WARRANTY

YOUR WARRANTY WITH EXTRAS

Cracking, blistering, flaking, chalking – painted wooden elements can suffer from an array of different defects.

Warranty claims can incur significant costs, especially after installation. Good to know that we have expanded our warranty program. With Wood Extralife, door, window and cladding manufacturers can enjoy peace of mind for up to 12 years for opaque systems and 7 years for translucent systems.

Developed with you in mind

Our experts begin by looking at your production facilities and processes to determine your eligibility for the warranty program. On approval, AkzoNobel develops a warranty agreement with you – at no additional cost. The contract covers a range of typical manufacturing defects should they appear in products using Sikkens Wood Coatings systems.

Broader coverage

With Wood Extralife, we have expanded warranty coverage not only to include cladding elements, but also in terms of the systems used. In most cases, contracts only require an annual inspection of your facilities by our technicians.

In some cases, Wood Extralife can also be modified to suit manufacturers' specific needs. Talk to your Sikkens Wood Coatings partner about possible customisation options.

A promise you can keep

Wood Extralife enables you to promise excellent quality to your customers. It covers doors, windows and cladding manufactured using a broad range of systems and a wide spectrum of different hardwoods and softwoods used across the EMEA region.

The warranty, which is available throughout EMEA, gives financial security in the event of claims due to cracking, blistering, flaking or chalking, as measured according to established industry standards. It all adds up to an outstanding business proposition: peace of mind and financial security for you and your customers.

Clear and measurable industry standards

| Nature of decay measurement | Method | Limit |
|-----------------------------|------------|----------|
| Blistering | ISO 4628-2 | ≤ 2 (S3) |
| Cracking | ISO 4628-4 | ≤ 3 |
| Flaking | ISO 4628-5 | ≤ 3 |
| Chalking | ISO 4628-6 | ≤ 3 |

OPAQUE SYSTEMS



TRANSLUCENT SYSTEMS



Cover for windows doors and cladding

Looking for more information on our new warranty? Please contact your local service representative for more details.

FINDING THE RIGHT SYSTEM

Our experts have created key systems to help our partners and customers select the right products in the right order for the desired purpose and performance.

This helps make product selection as easy as possible for a job well done and a result everyone can be proud of. These systems can be navigated by technology, performance, and aesthetics. From standard product combinations to specific design requirements or conditions, our systems are developed to always perform and meet demands. These systems are examples of cycles possible with our products and are segmented to guide users' initial selection. Whether the standard approach is the starting point or there is a need for extra or special performance, our product combinations are almost endless, therefore, for specific advice, we suggest contacting your local representative.

Our range provides proven combinations of innovative products that deliver results everyone can count on, and benefit from great performance, colours and outstanding original aesthetics.

DISCOVER OUR NEW COLOUR-CODING SYSTEM

We understand the challenge of finding the right product. That's why we've developed a colour-coded system that makes product selection as easy as possible.

To learn more see page 13

CLADDING SYSTEMS

TRANSLUCENT & OPAQUE SYSTEMS FORMULATED FOR CLADDING

| | Substrate | Application method | Impregnation |
|---------------------|---------------------------------|------------------------|--------------|
| Translucent Systems | Softwood or Hardwood (planed) | Brush, Vacuum or Spray | |
| | Modified (Accoya*) | Brush, Vacuum or Spray | |
| | Modified (Thermally modified**) | Brush, Vacuum or Spray | |
| Opaque Systems | Softwood or Hardwood | Brush, Vacuum or Spray | Optional |
| | Softwood or Hardwood | Brush, Vacuum or Spray | Optional |
| | Softwood (sawn) | Brush, Vacuum or Spray | Optional |
| | Modified (Accoya) | Brush, Vacuum or Spray | Advised |
| | Modified (Thermally modified) | Brush, Vacuum or Spray | Optional |

* Must use BPR product as 1st layer (CETOL WF 567 BPR*)

** For natural finishing, select a colour close to the original colour of the thermally modified wood. Examples of thermally modified wood species are: Platowood, Finti, Thermowood, thermally modified ayous, Fraké, yellow poplar, radiata pine, spruce

| Primer | Midcoat | Topcoat |
|--|--|----------------------|
| CETOL WF 98XX | | CETOL WF 98XX |
| CETOL WF 98XX | | CETOL WF 98XX |
| CETOL WF 98XX | | CETOL WF 98XX |
| | RUBBOL WF 33XX | RUBBOL WF 33XX |
| RUBBOL WP 198 | RUBBOL WF 33XX | RUBBOL WF 33XX |
| RUBBOL WP 1860-03 or RUBBOL WP 1862-03 | RUBBOL WP 1860-03 or RUBBOL WP 1862-03 | RUBBOL WF 3310-06-25 |
| | RUBBOL WF 33XX | RUBBOL WF 33XX |
| | RUBBOL WF 33XX | RUBBOL WF 33XX |

WINDOWS AND DOORS SYSTEMS

VIEW OUR LATEST SYSTEM INFORMATION
For the most up-to-date information visit:
sikkens-wood-coatings.com



TRANSLUCENT & OPAQUE SYSTEMS
FORMULATED FOR WINDOWS AND DOORS

| | Substrate | Primer | |
|----------------------------|-----------------------------------|-----------------------|---------------------------------|
| | | Dipping / Flowcoating | Spraying |
| Translucent Systems | Softwood*, Hardwood or Wood-Alu* | | |
| | Softwood*, Hardwood or Wood-Alu* | CETOL WP 566 | |
| | Softwood*, Hardwood or Wood-Alu* | CETOL WP 566 | |
| | Softwood*, Hardwood or Wood-Alu* | CETOL WP 566 | |
| | Modified (Accoya) | | |
| Opaque Systems | Softwood*, Hardwood or Wood-alu | | RUBBOL WP 198 or RUBBOL WP 151 |
| | Softwood*, Hardwood or Wood-alu | | |
| | Softwood*, Hardwood or Wood-alu | RUBBOL WP 1900-02 | |
| | Softwood*, Hardwood** or Wood-alu | RUBBOL WP 1900-02 | |
| | Softwood*, Hardwood or HDF | | RUBBOL WP 151 |
| | Softwood*, Hardwood or HDF | | RUBBOL WP 151 (Aqua Primer 256) |
| | Modified (Accoya) | | RUBBOL WP 151 |
| | Modified (Accoya) | | RUBBOL WP 198 |
| | Modified (Accoya) | | |
| | Modified (Accoya) | | |

| | Midcoat | | Topcoat |
|------------------|-----------------------|---|---|
| | Dipping / Flowcoating | Spraying | Spraying |
| | | CETOL WF 98XX or CETOL WF 945 / 960 / 965 | CETOL WF 98XX or CETOL WF 945 / 960 / 965 |
| | | CETOL WF 98XX or CETOL WF 945 / 960 / 965 | CETOL WF 98XX or CETOL WF 945 / 960 / 965 |
| CETOL WM 6100-02 | | CETOL WF 98XX or CETOL WF 945 / 960 / 965 | CETOL WF 98XX or CETOL WF 945 / 960 / 965 |
| | | CETOL WM 6100-03) | CETOL WF 98XX or CETOL WF 945 / 960 / 965 |
| | | CETOL WF 98XX or CETOL WF 945 / 960 / 965 | CETOL WF 98XX or CETOL WF 945 / 960 / 965 |
| | | | RUBBOL WF 33XX |
| | | RUBBOL WM 2980-03 | RUBBOL WF 33XX |
| | | RUBBOL WM 2980-03 | RUBBOL WF 33XX |
| | | RUBBOL WF 33XX | RUBBOL WF 33XX |
| | | RUBBOL WP 151 (100-125µm) | RUBBOL WF 33XX |
| | | RUBBOL WF 33XX | RUBBOL WF 33XX |
| | | | RUBBOL WF 33XX |
| | | | RUBBOL WF 33XX |
| | | RUBBOL WF 33XX | RUBBOL WF 33XX |

*Must use BPR product as 1st layer (CETOL WP 567)
** This system can not be used in conjunction with tannin-rich rich wood species

OUR COMMITMENT -YOUR CONFIDENCE

GLOBAL LEADERSHIP

Being part of the AkzoNobel family gives us easy access to industry-leading research and development operations, cutting-edge technologies and an extensive support network of specialists and experts.

IT ALL ADDS UP

When it comes to sustainability, every action counts. From better materials, to long-lasting coating solutions, and smart adjustments along the value chain. Sikkens Wood Coatings help you seize the opportunities to reduce waste, save energy and reduce your carbon footprint.

It's how we support you on the road toward a more sustainable future, every step of the way.

Join the sustainable journey.

sikkens
WOOD COATINGS

AkzoNobel

About AkzoNobel

Since 1792, we've been supplying the innovative paints and coatings that help to color people's lives and protect what matters most. Our world class portfolio of brands – including Dulux, International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and use our expertise to sustain and enhance the fabric of everyday life. Because we believe every surface is an opportunity. It's what you'd expect from a pioneering and long-established paints company that's dedicated to providing sustainable solutions and preserving the best of what we have today – while creating an even better tomorrow. Let's paint the future together.

For more information please visit www.akzonobel.com.
© 2024 Akzo Nobel N.V. All rights reserved.



sikkens-wood-coatings.com