



sikkens
WOOD COATINGS

Passion for wood

Wet and dry coat thicknesses

Opaque coating products

System-specific deviations are possible

Product	Application	Wet coat thickness	Dry coat thickness
Rubbol WP 194 13" DIN4	1x flow/dip	1x approx. 20 - 30 μm	approx. 10 μm
Rubbol WP 194 13" DIN4	2x flow/dip	2x approx. 30 μm	approx. 25 - 30 μm
Rubbol WM 274 13" DIN4	1x flow/dip	1x approx. 20 - 30 μm	approx. 15 μm
Rubbol WP 193	1x spraying	1x 100 - 120 μm	approx. 40 - 50 μm
Rubbol WP 151	1x spraying	1x 100 - 120 μm	approx. 40 - 50 μm
Rubbol WM 270	1x spraying	1x 120 - 150 μm	approx. 50 - 60 μm
Rubbol WF 361	3x painting	3x approx. 60 μm	approx. 60 - 80 μm
Rubbol WF 373	2x spraying	2x 150 μm	approx. 100 - 120 μm
Rubbol WF 375	2x spraying	2x 150 μm	approx. 100 - 120 μm
Rubbol WF 378/380	1x spraying	2x 150 μm	approx. 100 - 120 μm
Rubbol WF 378/380	1x spraying	1x 300 μm	approx. 100 - 120 μm
Rubbol WF 382/387	2x spraying	2x 150 μm	approx. 100 - 120 μm



sikkens
WOOD COATINGS

Passion for wood

Wet and dry coat thicknesses

Rubbol WF 382/387	1x spraying	1x 300 µm	approx. 100 - 120 µm
Rubbol WF 390	1x spraying	1x 150 - 200 µm	approx. 50 - 70 µm

Transparent products

System-specific deviations are possible

Product	Application	Wet coat thickness	Dry coat thickness
Cetol WP 566	1x flow/dip	1x approx. 10 µm	approx. 2 - 3 µm
Cetol WM 665	1x flow/dip	1x approx. 20 - 30 µm	approx. 10 µm
Cetol WM 675	1x flow/dip	1x approx. 20 - 30 µm	approx. 15 µm
Cetol WM 680	1x spraying	1x 100 - 120 µm	approx. 30 - 40 µm
Cetol WF 748/758	2x spraying	2x 100 - 120 µm	approx. 50 - 70 µm
Cetol WF 748/758	1x spraying	1x 200 µm	approx. 50 - 60 µm
Cetol WF 761	3x painting	3x approx. 60 µm	approx. 60 µm
Cetol WF 771	3x painting	3x 20 - 30 µm	approx. 5 - 10 µm
Cetol WF 950/955	2x spraying	2x 150 µm	approx. 100 - 120 µm
Cetol WF 950/955	1x spraying	1x 300 µm	approx. 100 - 120 µm



sikkens
WOOD COATINGS

Passion for wood

Wet and dry coat thicknesses

Cetol WF 952/957	2x spraying	2x 150 µm	approx. 100 - 120 µm
Cetol WF 952/957	1x spraying	1x 300 µm	approx. 100 - 120 µm
Cetol WF 973	2x spraying	2x 150 µm	approx. 100 - 120 µm
Cetol WF 980	2x spraying	2x 150 µm	approx. 100 - 120 µm